

## Zubehör Messing-Verschraubungen / accessories brass cable glands

Die GOGAFIX Adapter werden zum Überführen von einer metrischen Gewindebohrung auf eine PG-Gewindebohrung, oder umgekehrt, benötigt. / GOGAFIX adapters are used to convert metric threaded holes into PG or reciprocally.

**Material:** Messing vernickelt / brass nickel-plated  
**Schutzart / protection grade:** kombinationsabhängig / dependent on combination  
**Temperaturbereich / temperature range:** - +200°C  
**Normen / standards:** EN 60423  
**Gewicht / weight:** auf Anfrage / upon request

### GOGAFIX ADMS Adapter metrisch (außen)/PG (innen) / adapters metric (outside)/PG (inside)

Aussen- gewinde <i>outside thread</i>	Innen- gewinde <i>inside thread</i>	Gewindelänge mm <i>thread length</i>	VPE Stk. <i>PU</i>	ArtNr	€/Stk. <i>/pc.</i>
M 12 x 1,5	PG 7	6,0	100	231451	1,95
M 12 x 1,5	PG 9	6,0	100	231452	1,18
M 16 x 1,5	PG 7	6,0	100	231454	1,78
M 16 x 1,5	PG 9	6,0	100	231455	1,65
M 16 x 1,5	PG11	6,0	100	231456	1,71
M 20 x 1,5	PG 9	6,0	50	231457	1,06
M 20 x 1,5	PG 11	6,5	50	231458	2,39
M 20 x 1,5	PG 13,5	6,5	50	231459	2,39
M 20 x 1,5	PG16	6,5	50	231460	1,70
M 25 x 1,5	PG 11	7,0	50	231462	2,87
M 25 x 1,5	PG 13,5	7,0	50	231463	2,87
M 25 x 1,5	PG 16	7,0	50	231464	2,87
M 25 x 1,5	PG 21	7,0	50	231465	3,02
M 32 x 1,5	PG 16	8,0	25	231466	3,46
M 32 x 1,5	PG 21	8,0	25	231467	3,37
M 32 x 1,5	PG 29	8,0	25	231468	3,37
M 40 x 1,5	PG 21	8,0	25	231470	5,55
M 40 x 1,5	PG 29	8,0	25	231471	5,28
M 50 x 1,5	PG 29	9,0	25	231474	5,95
M 50 x 1,5	PG 36	9,0	25	231475	5,53
M 50 x 1,5	PG 42	9,0	25	231476	5,14
M 63 x 1,5	PG 36	10,0	10	231477	a.A.
M 63 x 1,5	PG 42	10,0	10	231478	16,94
M 63 x 1,5	PG 48	10,0	10	231479	16,72

a.A. = auf Anfrage / upon request

### GOGAFIX ADMS Adapter PG (außen)/metrisch (innen) / adapters PG (outside)/metric (inside)


Aussen- gewinde <i>outside thread</i>	Innen- gewinde <i>inside thread</i>	Gewindelänge mm <i>thread length</i>	VPE Stk. <i>PU</i>	ArtNr	€/Stk. <i>/pc.</i>
PG 7	M 12 x 1,5	5,0	100	231950	1,62
PG 7	M 16 x 1,5	5,0	100	231951	2,04
PG 9	M 12 x 1,5	6,0	100	231952	2,16
PG 9	M 16 x 1,5	6,0	100	231953	1,67
PG 9	M 20 x 1,5	6,0	100	231954	2,19
PG 11	M 16 x 1,5	6,0	50	231956	1,77
PG 11	M 20 x 1,5	6,0	50	231957	1,92
PG 13,5	M 16 x 1,5	6,5	50	231960	2,93
PG 13,5	M 20 x 1,5	6,5	50	231961	2,19
PG 13,5	M 25 x 1,5	6,5	50	231962	3,54
PG 16	M 20 x 1,5	6,5	25	231965	2,03
PG 16	M 25 x 1,5	6,5	25	231966	2,34
PG 16	M 32 x 1,5	6,5	25	231967	5,61
PG 21	M 25 x 1,5	7,0	25	231968	2,36
PG 21	M 32 x 1,5	7,0	25	231969	3,14
PG 21	M 40 x 1,5	7,0	25	231970	6,30
PG 29	M 25 x 1,5	8,0	25	231971	4,16
PG 29	M 32 x 1,5	8,0	10	231972	3,82
PG 29	M 40 x 1,5	8,0	10	231973	6,24
PG 29	M 50 x 1,5	8,0	10	231974	12,25
PG 36	M 40 x 1,5	9,0	10	231975	11,72
PG 36	M 50 x 1,5	9,0	10	231976	14,99
PG 42	M 50 x 1,5	10,0	5	231977	12,72
PG 42	M 63 x 1,5	10,0	5	231978	20,26



Preise gültig ab 01.01.2019 exkl. MwSt., freibleibend, Auftragsrabatt auf Anfrage / prices are valid from 01.01.2019 excl. VAT, subject to change, discounts upon request  
sonst. Konditionen siehe [www.gogatec.com/AGB.pdf](http://www.gogatec.com/AGB.pdf), techn. Änderungen vorbehalten / terms & conditions can be found on our website: [www.gogatec.com/AGB.pdf](http://www.gogatec.com/AGB.pdf); error, technical modifications and variations are reserved

**GOGAFIX ADMS1 Adapter metrisch (außen)/Zoll (innen) / adapter metric (outside)/inch (inside)**

Aussen- gewinde <i>outside thread</i>	Innen- gewinde <i>inside thread</i>	Bauform <i>construction</i>	Gewindelänge mm <i>thread length</i>	VPE Stk. <i>PU</i>	ArtNr	€ /Stk. <i>/pc.</i>
M 12x1,5	G 1/4"	B	8,0	20	231480M12Z1/4	1,80
M 16x1,5	G 1/4"	A	8,0	20	231480M16Z1/4	1,82
M 16x1,5	G 3/8"	B	8,0	20	231480M16Z3/8	2,17
M 16x1,5	G 1/2"	B	8,0	20	231480M16Z1/2	2,64
M 20x1,5	G 3/8"	A	8,0	20	231480M20Z3/8	1,93
M 20x1,5	G 1/2"	B	8,0	20	231480M20Z1/2	2,57
M 20x1,5	G 3/4"	B	8,0	20	231480M20Z3/4	3,32
M 25x1,5	G 3/8"	A	10,0	10	231480M25Z3/8	3,06
M 25x1,5	G 1/2"	A	10,0	10	231480M25Z1/2	2,57
M 25x1,5	G 3/4"	B	10,0	10	231480M25Z3/4	3,61
M 25x1,5	G 1"	B	10,0	10	231480M25Z1	6,17
M 32x1,5	G 3/4"	A	12,0	10	231480M32Z3/4	3,65
M 32x1,5	G 1"	B	12,0	10	231480M32Z1	5,42
M 32x1,5	G 1 1/4"	B	12,0	10	231480M32Z11/4	7,74
M 40x1,5	G 1"	A	13,0	5	231480M40Z1	7,81
M 40x1,5	G 1 1/4"	B	13,0	5	231480M40Z11/4	20,65
M 40x1,5	G 1 1/2"	B	13,0	5	231480M40Z11/2	14,28
M 50x1,5	G 1 1/4"	A	13,0	5	231480M50Z11/4	14,95
M 50x1,5	G 1 1/2"	B	13,0	5	231480M50Z11/2	18,57
M 50x1,5	G 2"	B	13,0	2	231480M50Z2	23,88
M 63x1,5	G 1 1/2"	A	15,0	2	231480M63Z11/2	21,16
M 63x1,5	G 2"	B	15,0	2	231480M63Z2	24,25



**GOGAFIX ADMS1 Adapter Zoll (außen)/metrisch (innen) / adapter inch (outside)/metric (inside)**

Aussen- gewinde <i>outside thread</i>	Innen- gewinde <i>inside thread</i>	VPE Stk. <i>PU</i>	ArtNr	€ /Stk. <i>/pc.</i>
NPT 1/2"	M 16x1,5	50	231482Z1/2M16	17,29
NPT 1/2"	M 20x1,5	50	231482Z1/2M20	4,79
NPT 1/2"	M 25x1,5	50	231482Z1/2M25	9,04
NPT 3/4"	M 20x1,5	50	231482Z3/4M20	10,90
NPT 3/4"	M 25x1,5	50	231482Z3/4M25	13,00
NPT 3/4"	M 32x1,5	10	231482Z3/4M32	14,33
NPT 1"	M 25x1,5	20	231482Z1M25	17,86
NPT 1"	M 32x1,5	20	231482Z1M32	35,90
NPT 1 1/4"	M 25x1,5	20	231482Z11/4M25	61,90
NPT 1 1/4"	M 32x1,5	10	231482Z11/4M32	50,80
NPT 1 1/4"	M 40x1,5	20	231482Z11/4M40	38,44
NPT 1 1/2"	M 40x1,5	1	231482Z11/2M40	85,10
NPT 1 1/2"	M 50x1,5	1	231482Z11/2M50	76,00
NPT 1 1/2"	M 63x1,5	1	231482Z11/2M63	127,40
NPT 2"	M 50x1,5	1	231482Z2M50	175,00
NPT 2"	M 63x1,5	1	231482Z2M63	132,90



Preise gültig ab 01.01.2019 exkl. MwSt., freibleibend, Auftragsrabatt auf Anfrage /

prices are valid from 01.01.2019 excl. VAT, subject to change, discounts upon request

sonst. Konditionen siehe [www.gogatec.com/AGB.pdf](http://www.gogatec.com/AGB.pdf), techn. Änderungen vorbehalten /

terms & conditions can be found on our website: [www.gogatec.com/AGB.pdf](http://www.gogatec.com/AGB.pdf); error, technical modifications and variations are reserved

**GOGAFIX ADMS1 Adapter PG (außen)/Zoll (innen) / adapter PG (outside)/inch (inside)**


Aussen- gewinde <i>outside thread</i>	Innen- gewinde <i>inside thread</i>	Bauform <i>construction</i>	Gewindelänge mm <i>thread length</i>	VPE Stk. <i>PU</i>	ArtNr	€ /Stk. <i>/pc.</i>
PG7	G 1/4"	B	7,0	20	231980PG7Z1/4	1,23
PG7	G 3/8"	B	7,0	20	231980PG7Z3/8	1,53
PG9	G 1/4"	B	7,0	20	231980PG9Z1/4	1,23
PG9	G 3/8"	B	7,0	20	231980PG9Z3/8	1,49
PG9	G 1/2"	B	7,0	20	231980PG9Z1/2	2,14
PG11	G 1/4"	A	8,0	20	231980PG11Z1/4	1,57
PG11	G 3/8"	B	7,0	20	231980PG11Z3/8	1,99
PG11	G 1/2"	B	7,0	20	231980PG11Z1/2	2,08
PG13,5	G 1/4"	A	8,0	20	231980PG135Z1/4	1,73
PG13,5	G 3/8"	A	8,0	20	231980PG135Z3/8	1,49
PG13,5	G 1/2"	B	7,0	20	231980PG135Z1/2	2,08
PG13,5	G 3/4"	B	7,0	10	231980PG135Z3/4	3,25
PG16	G 1/4"	A	8,0	20	231980PG16Z1/4	1,99
PG16	G 3/8"	A	8,0	20	231980PG16Z3/8	1,75
PG16	G 1/2"	B	7,0	20	231980PG16Z1/2	2,08
PG16	G 3/4"	B	7,0	10	231980PG16Z3/4	3,25
PG21	G 3/8"	A	9,0	10	231980PG21Z3/8	2,97
PG21	G 1/2"	A	9,0	10	231980PG21Z1/2	2,57
PG21	G 3/4"	B	9,0	10	231980PG21Z3/4	3,25
PG21	G 1"	B	9,0	10	231980PG21Z1	7,03
PG21	G 1 1/4"	B	9,0	5	231980PG21Z11/4	9,36
PG29	G 1/2"	A	10,0	10	231980PG29Z1/2	5,02
PG29	G 3/4"	A	10,0	10	231980PG29Z3/4	4,47
PG29	G 1"	A	10,0	10	231980PG29Z1	3,78
PG29	G 1 1/4"	B	11,0	5	231980PG29Z11/4	7,56
PG36	G 1"	A	10,0	5	231980PG36Z1	8,98
PG36	G 1 1/4"	A	10,0	5	231980PG36Z11/4	8,45
PG36	G 1 1/2"	B	14,0	5	231980PG36Z11/2	13,38
PG42	G 1 1/4"	A	12,0	5	231980PG42Z11/4	12,47
PG42	G 1 1/2"	A	12,0	5	231980PG42Z11/2	11,90
PG48	G 1 1/2"	A	12,0	2	231980PG48Z11/2	13,09
PG48	G 2"	B	14,0	2	231980PG48Z2	23,59



Preise gültig ab 01.01.2019 exkl. MwSt., freibleibend, Auftragsrabatt auf Anfrage /  
prices are valid from 01.01.2019 excl. VAT, subject to change, discounts upon request  
sonst. Konditionen siehe [www.gogatec.com/AGB.pdf](http://www.gogatec.com/AGB.pdf), techn. Änderungen vorbehalten /  
terms & conditions can be found on our website: [www.gogatec.com/AGB.pdf](http://www.gogatec.com/AGB.pdf); error, technical modifications and variations are reserved

**GOGAFIX ADMS1 Adapter Zoll (außen)/PG (innen) / adapter inch (outside)/PG (inside)**

Aussen- gewinde <i>outside thread</i>	Innen- gewinde <i>inside thread</i>	Bauform <i>construction</i>	Gewindelänge mm <i>thread length</i>	VPE Stk. <i>PU</i>	ArtNr	€ /Stk. <i>/pc.</i>
G 1/4"	PG9	B	7,0	20	231982Z1/4PG9	1,42
G 1/4"	PG11	B	7,0	20	231982Z1/4PG11	1,84
G 1/4"	PG13,5	B	7,0	20	231982Z1/4PG135	1,93
G 3/8"	PG9	B	9,0	20	231982Z3/8PG9	1,82
G 3/8"	PG11	B	9,0	20	231982Z3/8PG11	1,97
G 3/8"	PG13,5	B	9,0	20	231982Z3/8PG135	a.A.
G 3/8"	PG16	B	9,0	20	231982Z3/8PG16	1,88
G 1/2"	PG9	A	8,0	20	231982Z1/2PG9	1,68
G 1/2"	PG11	B	9,0	20	231982Z1/2PG11	1,97
G 1/2"	PG13,5	B	9,0	20	231982Z1/2PG135	1,97
G 1/2"	PG16	B	9,0	20	231982Z1/2PG16	1,97
G 1/2"	PG21	B	10,0	10	231982Z1/2PG21	4,36
G 3/4"	PG11	A	10,0	10	231982Z3/4PG11	2,83
G 3/4"	PG13,5	A	10,0	10	231982Z3/4PG135	2,70
G 3/4"	PG16	A	10,0	10	231982Z3/4PG16	2,59
G 3/4"	PG21	B	11,0	10	231982Z3/4PG21	4,62
G 3/4"	PG29	B	11,0	10	231982Z3/4PG29	10,37
G 1"	PG11	A	12,0	10	231982Z1PG11	4,51
G 1"	PG13,5	A	12,0	10	231982Z1PG135	4,91
G 1"	PG16	A	12,0	10	231982Z1PG16	5,13
G 1"	PG21	A	12,0	10	231982Z1PG21	3,63
G 1"	PG29	B	13,0	10	231982Z1PG29	10,37
G 1 1/4"	PG21	A	13,0	5	231982Z11/4PG21	6,70
G 1 1/4"	PG29	A	13,0	5	231982Z11/4PG29	5,60
G 1 1/4"	PG36	B	14,0	5	231982Z11/4PG36	13,38
G 1 1/2"	PG36	B	15,0	5	231982Z11/2PG36	13,38
G 1 1/2"	PG42	B	15,0	5	231982Z11/2PG42	18,97



a.A. = auf Anfrage / upon request

Preise gültig ab 01.01.2019 exkl. MwSt., freibleibend, Auftragsrabatt auf Anfrage /  
prices are valid from 01.01.2019 excl. VAT, subject to change, discounts upon request  
sonst. Konditionen siehe [www.gogatec.com/AGB.pdf](http://www.gogatec.com/AGB.pdf), techn. Änderungen vorbehalten /  
terms & conditions can be found on our website: [www.gogatec.com/AGB.pdf](http://www.gogatec.com/AGB.pdf), error, technical modifications and variations are reserved